PERCENTAGE LOG OF WATER-WELL CUTTINGS UTAH GEOLOGICAL SURVEY

DWRi Appropriation #: 73-3428(a29167) Well Owner: Petersen Pumps and Wells

Location: (C-36-12)11acb, Iron County, Utah Win #: 428883

Driller: Petersen Pump and Wells Geologist: Janae Wallace, 2/5/08

	Б. 4		RCENTA	AGES	
	Depth Range (feet)		nconsolid	ated	COMMENTS
			slt/sd +	gravel*	
0	10	0	0	0	no sample
10	15	10	80	10	orange-tan and pink clay, silt, sand, and gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular and consists of volcanic, sandstone, chert, and limestone clasts; maximum clast size (MCS) is 1 cm, average clast size (ACS) is 1 cm; trace shell fragments; calcareous
15	20	5	95	tr	orange-tan clay, silt, and sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; trace shell fragments; calcareous
20	25	5	95	tr	"
25	30	10	90	tr	"
30	35	10	90	tr	66
35	40	50	50	tr	" trace gypsum
40	45	25	75	tr	66
45	50	25	75	tr	66
50	55	10	90	tr	66
55	60	10	90	tr	66
60	65	50	50	tr	66
65	70	50	50	tr	٠.

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

	Depth Range (feet)		RCENTA	AGES	
			nconsolid	lated	COMMENTS
			slt/sd +	gravel*	
70	75	50	50	tr	orange-tan clay, silt, and sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; trace shell fragments and gypsum; calcareous
75	80	50	50	tr	"
80	85	50	50	tr	orange-tan clay, silt, and sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous
85	90	50	50	tr	"
90	95	50	50	tr	"
95	100	50	50	tr	"
100	105	50	50	tr	orange-tan clay, silt, and sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; trace shell fragments and gypsum; calcareous
105	110	50	50	tr	•
110	115	50	50	tr	•
115	120	50	50	tr	"trace black carbonaceous material
120	125	50	50	tr	"
125	130	50	50	tr	"
130	135	50	50	tr	"
135	140	50	50	tr	"
140	145	50	50	tr	"

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

Donth		PERCENTAGES			
	Depth Range		nconsolid	ated	COMMENTS
(feet)		clay	slt/sd +	gravel*	
145	150	48	50	2	orange-tan and pink clay, silt, sand, and gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1 cm, ACS is 1 cm; calcareous
150	155	50	50	tr	orange-tan clay, silt, and sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; trace shell fragments and gypsum; calcareous
155	160	50	50	tr	"
160	165	50	50	tr	"
165	170	50	50	tr	"
170	175	50	50	tr	"
175	180	30	65	5	brown-pink clay, silt, and sand with yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1 cm, ACS is 0.5 cm; calcareous
180	185	20	60	20	"MCS is 2 cm, ACS is 0.5 cm
185	190	30	60	10	"MCS is 1.5 cm, ACS is 0.5 cm
190	195	20	70	10	"MCS is 1 cm, ACS is 0.5 cm
195	200	10	90	tr	red-brown clay, silt, and sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

	Donth		RCENTA	AGES	
	epth ange	unconsolidated		ated	COMMENTS
(feet)		clay	slt/sd +	gravel*	
200	205	20	75	5	brown clay, silt, and sand with yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 0.5 cm, ACS is 0.5 cm; calcareous
205	210	30	60	10	"MCS is 1 cm, ACS is 0.3 cm
210	215	20	78	2	"MCS is 0.5 cm, ACS is 0.5 cm
215	220	20	55	25	"red; MCS is 2 cm, ACS is 0.5 cm
220	225	20	70	10	"pink brown; MCS is 1 cm, ACS is 1 cm
225	230	20	75	5	"brown; MCS is 1 cm, ACS is 0.5 cm
230	235	10	88	2	"MCS is 0.5 cm, ACS is 0.5 cm
235	240	20	50	30	"MCS is 2 cm, ACS is 0.5 cm
240	245	50	45	5	"red; MCS is 1 cm, ACS is 0.3 cm
245	250	30	20	50	"brown; MCS is 3 cm, ACS is 1 cm
250	255	30	20	50	" gray brown; MCS is 1 cm, ACS is 0.3 cm
255	260	0	0	0	no sample
260	265	20	30	50	red-brown clay, silt, and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3 cm, ACS is 0.5 cm; calcareous
265	270	30	60	10	"MCS is 3 cm, ACS is 0.5 cm
270	280	0	0	0	no sample

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

Ъ	Depth Range (feet)		RCENTA	AGES	
			nconsolid	lated	COMMENTS
			slt/sd +	gravel*	
280	285	20	80	tr	red-orange clay, silt, and sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous
285	290	10	90	tr	"
290	295	5	95	0	" no gravel
295	300	10	90	0	"
300	315	10	90	tr	orange-tan clay, silt, and sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous
315	320	2	98	tr	"
320	325	10	90	tr	"
325	330	0	0	100	pink, brown, yellow, tan, black, and gray gravel; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3 cm, ACS is 1 cm; calcareous
330	340	0	0	100	"MCS is 2 cm, ACS is 2 cm
340	350	5	95	0	orange-tan clay, silt, and sand; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous
350	355	5	95	0	
355	364	0	0	100	pink, brown, yellow, tan, black, and gray gravel; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3.5 cm, ACS is 1 cm; calcareous

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

_	_	PERCENTAGES			
	Depth Range		nconsolid	lated	COMMENTS
(feet)		clay	slt/sd +	gravel*	
364	375	0	20	80	orange-tan silt and sand with red, brown, yellow, tan, purple, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1.5 cm, ACS is 1 cm; calcareous
375	380	0	0	100	pink, brown, yellow, tan, black, and gray gravel; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2.5 cm, ACS is 1 cm; calcareous
380	385	0	0	100	"MCS is 2 cm, ACS is 1 cm
385	390	0	75	25	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3 cm, ACS is 0.3 cm; calcareous
390	400	0	100	0	orange-tan sand; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous
400	425	0	100	0	"
425	430	20	30	50	orange-tan clay, silt, and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1.5 cm, ACS is 0.5 cm; calcareous
430	435	2	8	90	"MCS is 3 cm, ACS is 1 cm

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

		PE	RCENTA	AGES	
	epth ange	unconsolidated		lated	COMMENTS
(feet)		clay slt/sd + gravel*		gravel*	
435	440	tr	50	50	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3 cm, ACS is 0.5 cm; trace clay; calcareous
440	445	5	45	50	red-brown clay, silt, and sand with red, brown, yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1.5 cm, ACS is 0.5 cm; calcareous
445	450	tr	5	95	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 4 cm, ACS is 1 cm; trace clay; calcareous
450	4550	5	95	tr	pink-tan clay, silt, and sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous
455	460	10	90	tr	"
460	475	90	10	tr	٠٠
475	480	0	100	tr	brown, orange, and tan sand; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; trace gravel; calcareous
480	485	0	98	2	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3 cm, ACS is 0.3 cm; calcareous

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

		PE	RCENTA	AGES	
	Depth Range (feet)		nconsolid	lated	COMMENTS
			slt/sd +	gravel*	
485	490	0	0	100	pink, brown, yellow, tan, black, and gray gravel; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2 cm, ACS is 0.3 cm; calcareous
490	495	0	0	100	"MCS is 3.5 cm, ACS is 2 cm
495	500	tr	tr	100	"MCS is 4 cm, ACS is 1 cm; trace clay and sand
500	510	tr	tr	100	"
510	515	5	25	70	red-brown clay, silt, and sand with red, brown, yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1.5 cm, ACS is 0.3 cm; calcareous
515	520	2	98	tr	orange-tan clay, silt, and sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous
520	525	tr	60	40	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2 cm, ACS is 0.5 cm; trace clay; calcareous
525	530	0	tr	100	pink, brown, yellow, tan, black, and gray gravel; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; trace sand; MCS is 0.5 cm, ACS is 0.3 cm; calcareous

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

	Depth Range		RCENTA	AGES	
			nconsolid	lated	COMMENTS
(feet)		clay	slt/sd +	gravel*	
530	535	tr	10	90	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 0.5 cm, ACS is 0.3 cm; trace clay; calcareous
535	540	tr	10	90	"MCS is 1 cm, ACS is 0.5 cm
540	545	5	70	25	orange-tan clay, silt, and sand with red, brown, yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1 cm, ACS is 0.3 cm; calcareous
545	550	0	50	50	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1 cm, ACS is 0.3 cm; calcareous
550	555	0	50	50	"MCS is 1.5 cm, ACS is 0.3 cm
555	560	2	48	50	orange-tan clay, silt, and sand with red, brown, yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3 cm, ACS is 0.3 cm; calcareous
560	565	tr	75	25	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2 cm, ACS is 0.3 cm; trace clay; calcareous

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

	Depth Range (feet)		RCENTA	AGES	
			unconsolidated		COMMENTS
			slt/sd +	gravel*	
565	570	0	50	50	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3.5 cm, ACS is 1 cm; calcareous
570	575	5	90	5	red-brown clay, silt, and sand with red, brown, yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 0.5 cm, ACS is 0.5 cm; calcareous
575	580	0	10	90	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 4 cm, ACS is 2 cm; calcareous
580	585	0	30	70	"MCS is 2 cm, ACS is 0.5 cm
585	590	tr	20	80	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2.5 cm, ACS is 0.5 cm; trace clay; calcareous
590	595	0	5	95	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 4 cm, ACS is 1 cm; calcareous
595	600	0	5	95	"MCS is 2.5 cm, ACS is 1 cm

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

_	_	PERCENTAGES			
	epth ange	unconsolidated			COMMENTS
	(feet)		slt/sd +	gravel*	
600	605	0	10	90	"MCS is 2.5 cm, ACS is 1 cm
605	608	0	10	90	"MCS is 2.5 cm, ACS is 1 cm
608	610	50	45	5	red-orange clay, silt, and sand with red, brown, yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2 cm, ACS is 0.3 cm; calcareous
610	615	2	80	18	"MCS is 3 cm, ACS is 1 cm
615	620	10	80	10	"MCS is 2 cm, ACS is 0.3 cm
620	625	10	80	10	"MCS is 2 cm, ACS is 0.3 cm
625	630	0	0	100	purple, pink, brown, yellow, tan, black, and gray gravel; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2 cm, ACS is 1 cm; calcareous
630	635	0	0	100	"MCS is 1.5 cm, ACS is 1 cm
635	640	0	0	100	"MCS is 1 cm, ACS is 1 cm
640	645	0	90	10	red-orange silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1 cm, ACS is 0.5 cm; calcareous
645	650	0	100	tr	orange-tan sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous
650	655	0	100	0	orange-tan sand; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

D	Depth Range		RCENTA	AGES	
			nconsolid	lated	COMMENTS
(feet)		clay	slt/sd +	gravel*	
655	660	tr	100	tr	orange-tan sand with trace clay and gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous
660	665	0	50	50	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3 cm, ACS is 1 cm; calcareous
665	670	0	50	50	"MCS is 3.5 cm, ACS is 1 cm
670	675	5	50	45	orange-tan clay, silt, and sand with red, brown, yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3 cm, ACS is 1 cm; calcareous
675	680	0	5	95	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2 cm, ACS is 0.5 cm; calcareous
680	685	2	90	8	orange-tan clay, silt, and sand with red, brown, yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1 cm, ACS is 0.3 cm; calcareous

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

Depth Range (feet)		PERCENTAGES			COMMENTS
		unconsolidated			
		clay	slt/sd +	lt/sd + gravel*	
685	690	tr	75	25	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1 cm, ACS is 0.3 cm; trace clay; calcareous
690	695	0	80	20	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 0.5 cm, ACS is 0.3 cm; calcareous
695	700	0	0	100	pink, brown, yellow, tan, black, and gray gravel; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 4 cm, ACS is 2 cm; calcareous
700	705	0	10	90	orange-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3 cm, ACS is 1 cm; calcareous
705	710	0	50	50	"MCS is 1.5 cm, ACS is 0.3 cm
710	715	0	10	90	"MCS is 4 cm, ACS is 2 cm
715	720	0	90	10	"MCS is 4 cm, ACS is 1 cm
720	725	0	0	100	pink, brown, yellow, tan, black, and gray gravel; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 3 cm, ACS is 1 cm; calcareous

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

Depth Range (feet)		PERCENTAGES			COMMENTS
		unconsolidated			
		clay	slt/sd +	gravel*	
725	730	0	20	80	yellow-tan silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2 cm, ACS is 0.5 cm; calcareous
730	735	0	20	80	"MCS is 2 cm, ACS is 1 cm
735	740	0	100	tr	yellow-tan sand; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; trace gravel; calcareous
740	745	2	90	8	red clay, silt, and sand with red, brown, yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1 cm, ACS is 0.3 cm; calcareous
745	750	tr	100	0	red sand; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; trace clay; calcareous
750	755	2	98	tr	red clay, silt, and sand with trace gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous
755	760	2	98	0	red clay, silt, and sand; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous
760	765	5	70	25	red clay, silt, and sand with red, brown, yellow, tan, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 4 cm, ACS is 0.3 cm; calcareous

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

Depth Range (feet)		PERCENTAGES			
		unconsolidated		lated	COMMENTS
		clay	slt/sd +	gravel*	
765	770	5	90	5	"MCS is 0.5 cm, ACS is 0.5 cm
770	775	5	50	45	"MCS is 1 cm, ACS is 0.5 cm
775	780	tr	50	50	red silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 0.5 cm, ACS is 0.5 cm; trace clay; calcareous
780	785	0	0	100	pink, brown, yellow, tan, black, and gray gravel; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1 cm, ACS is 0.5 cm; calcareous
785	790	0	0	100	"MCS is 3 cm, ACS is 1 cm
790	795	0	95	5	red-orange silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 1 cm, ACS is 0.5 cm; calcareous
795	800	0	25	75	"MCS is 1 cm, ACS is 0.5 cm
800	805	0	50	50	"MCS is 4 cm, ACS is 0.5 cm
805	810	0	0	100	pink, brown, yellow, tan, black, and gray gravel; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2.5 cm, ACS is 0.5 cm; calcareous
810	815	0	20	80	red-orange silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2 cm, ACS is 0.5 cm; calcareous

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller

Depth Range		PERCENTAGES unconsolidated			COMMENTS
815	820	0	90	10	"MCS is 3 cm, ACS is 0.3 cm
820	825	0	0	100	pink, brown, yellow, tan, black, and gray gravel; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 5 cm, ACS is 1 cm; calcareous
825	830	0	0	100	"MCS is 2 cm, ACS is 0.5 cm
830	835	0	10	90	red silt and sand with red, brown, yellow, tan, pink, and gray gravel; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; gravel is angular to rounded and consists of volcanic, sandstone, chert, and limestone clasts; MCS is 2.5 cm, ACS is 0.5 cm; calcareous
835	840	0	100	0	red sand; sand is fine to coarse and consists of quartz, rock fragments, mica, and mafic minerals; calcareous

^{*}slt=silt; sd=sand; *estimated clast size may not reflect actual size encountered by the driller